

# Answers

## 1. Basic Concepts in Geometry

### Practice set 1.1

1. (i) 3 (ii) 3 (iii) 7 (iv) 1  
(v) 3 (vi) 5 (vii) 2 (viii) 7
2. (i) 6 (ii) 8 (iii) 10 (iv) 1 (v) 3 (vi) 12
3. (i) P-R-Q (ii) Non collinear (iii) A-C-B (iv) Non collinear  
(v) X-Y-Z (vi) Non collinear
4. 18 and 2    5. 25 and 9    6. (i) 4.5    (ii) 6.2    (iii)  $2\sqrt{7}$     7. Triangle

### Practice set 1.2

1. (i) No (ii) No (iii) Yes    2. 4    3. 5    4.  $BP < AP < AB$
5. (i) Ray RS or Ray RT (ii) Ray PQ (iii) Seg QR (iv) Ray QR and Ray RQ etc.  
(v) Ray RQ and Ray RT etc.. (vi) Ray SR, Ray ST etc.. (vii) Point S
6. (i) Point A & Point C, Point D & Point P (ii) Point L & Point U, Point P & Point R  
(iii)  $d(U,V) = 10$ ,  $d(P,C) = 6$ ,  $d(V,B) = 3$ ,  $d(U,L) = 2$

### Practice set 1.3

1. (i) If a quadrilateral is a parallelogram then opposite angles of that quadrilateral are congruent.  
(ii) If quadrilateral is a rectangle then diagonals are congruent.  
(iii) If a triangle is an isosceles then segment joining vertex of a triangle and mid point of the base is perpendicular to the base.
2. (i) If alternate angles made by two lines and its transversal are congruent then the lines are parallel.  
(ii) If two parallel lines are intersected by a transversal the interior angles so formed are supplementary.  
(iii) If the diagonals of a quadrilateral are congruent then that quadrilateral is rectangle.

### Problem set 1

1. (i) A (ii) C (iii) C (iv) C (v) B
2. (i) False (ii) False (iii) True (iv) False
3. (i) 3 (ii) 8 (iii) 9 (iv) 2 (v) 6 (vi) 22 (vii) 165
4. -15 and 1    5. (i) 10.5 (ii) 9.1    6. -6 and 8



### Problem set 3

1. (i) D      (ii) B      (iii) B

## 5. Quadrilaterals

### Practice set 5.1

- $m\angle XWZ = 135^\circ$ ,  $m\angle YZW = 45^\circ$ ,  $l(WY) = 10 \text{ cm}$
- $x = 40^\circ$ ,  $\angle C = 132^\circ$ ,  $\angle D = 48^\circ$
- 25 cm, 50 cm, 25 cm, 50 cm
- $60^\circ, 120^\circ, 60^\circ, 120^\circ$
- $\angle A = 70^\circ$ ,  $\angle B = 110^\circ$ ,  $\angle C = 70^\circ$ ,  $\angle R = 110^\circ$

### Practice set 5.3

- $BO = 4 \text{ cm}$ ,  $\angle ACB = 35^\circ$
- $QR = 7.5 \text{ cm}$ ,  $\angle PQR = 105^\circ$ ,  $\angle SRQ = 75^\circ$
- $\angle IMJ = 90^\circ$ ,  $\angle JIK = 45^\circ$ ,  $\angle LJK = 45^\circ$
- side = 14.5 cm, Perimeter = 58 cm
- (i) False (ii) False (iii) True (iv) True (v) True (vi) False

### Practice set 5.4

1.  $\angle J = 127^\circ$ ,  $\angle L = 72^\circ$       2.  $\angle B = 108^\circ$ ,  $\angle D = 72^\circ$

### Practice set 5.5

1.  $XY = 4.5 \text{ cm}$ ,  $YZ = 2.5 \text{ cm}$ ,  $XZ = 5.5 \text{ cm}$

### Problem set 5

- (i) D      (ii) C      (iii) D      2. 25 cm,      3.  $6.5\sqrt{2} \text{ cm}$
- 24 cm, 32 cm, 24 cm, 32 cm      5.  $PQ = 26 \text{ cm}$       6.  $\angle MPS = 65^\circ$

## 6. Circle

### Practice set 6.1


1. 20 cm      2. 5 cm      3. 32 unit      4. 9 unit

### Practice set 6.2

1. 12 cm      2. 24 cm

### Problem set 6

1. (i) A    (ii) C    (iii) A    (iv) B    (v) D    (vi) C    (vii) D or B      2. 2:1      4. 24 units



## 7. Co-ordinate Geometry

### Practice set 7.1

- point A : Quadrant II, point B : Quadrant III, point K : Quadrant I, point D : Quadrant I  
point E : Quadrant I, point F : Quadrant IV, point G : Quadrant IV, point H : Y-Axis.  
point M : X-Axis, point N : Y-Axis, point P : Y-Axis, point Q : Quadrant III
- (i) Quadrant I      (ii) Quadrant III      (iii) Quadrant IV      (iv) Quadrant II

### Practice set 7.2

- Square       $2. x = -7$        $3. y = -5$        $4. x = -3$        $5. 4$
- (i) Y-Axis,      (ii) X-axis,      (iii) Y-axis,      (iv) X-axis,
- To X-axis (5,0), To Y-axis (0,5)
- (-4,1), (-1.5, 1), (-1.5,5), (-4,5)

### Problem set 7

- (i) C      (ii) A      (iii) B      (iv) C      (v) C      (vi) B
- (i) Q (-2,2), R(4,-1)      (ii) T(0,-1), M(3,0)      (iii) point S      (iv) point O
- (i) Quadrant IV      (ii) Quadrant III  
(iii) Quadrant II      (iv) Quadrant II      (v) Y-axis      (vi) X-axis
- (i) 3      (ii) P(3,2), Q(3,-1), R (3,0)      (iii) 0      6.  $y = 5, y = -5$       7.  $|a|$

## 8. Trigonometry

### Practice set 8.1

- (i)  $\frac{QR}{PQ}$       (ii)  $\frac{QR}{PQ}$       (iii)  $\frac{QR}{PR}$       (iv)  $\frac{PR}{QR}$
- (i)  $\frac{a}{c}$       (ii)  $\frac{b}{a}$       (iii)  $\frac{b}{c}$       (iv)  $\frac{a}{b}$
- (i)  $\frac{MN}{LN}$       (ii)  $\frac{LM}{LN}$       (iii)  $\frac{LM}{MN}$       (iv)  $\frac{MN}{LN}$
- (i)  $\frac{PQ}{PR}, \frac{RQ}{PR}, \frac{PQ}{RQ}$       (ii)  $\frac{QS}{PS}, \frac{PQ}{PS}, \frac{QS}{PQ}$

### Practice set 8.2

- $\sin \theta : \frac{12}{37}, \frac{1}{\sqrt{2}}, \frac{\sqrt{2}}{\sqrt{3}}, \frac{21}{29}, \frac{8}{17}, \frac{1}{3}; \cos \theta : \frac{60}{61}, \frac{1}{\sqrt{2}}, \frac{\sqrt{3}}{2}, \frac{20}{29}, \frac{15}{17}, \frac{4}{5}, \frac{2\sqrt{2}}{3}$   
 $\tan \theta : \frac{12}{35}, \frac{11}{60}, \frac{1}{\sqrt{3}}, \sqrt{2}, \frac{3}{4}$

